

SKOV

PLATINUM

BESPOKE OAK COLLECTION



190mm Plank



220mm Plank



Herringbone



Chevron

A refined collection of sustainable European timber inspired by nature and crafted by passion.




Platinum

Bespoke Oak Collection

Regardless of oak plank flooring, the traditional Parquet Patterns such as herringbone and chevron are back in vogue. We want to bring in the warmth from a wooden floor and at the same time add something special to our home.

Every color in Platinum Range comes in Plank, Herringbone, and Chevron patterns. We dare to mix the traditional with the modern, different patterns can be found in modern new apartments and units as well as in traditional and venerable houses.



What Makes Platinum Oak Collection

So Unique?



Pre-finished and Ready To Walk On

Platinum Oak Floor is ready to walk on immediately after installation, no additional coats are required.



Timeless, Stylish Colors

Developed from the latest interior trends and inspired by nature.



Parquet Patterns

Available in matching herringbone and chevron patterns, have the right format for many styles.




Low - Maintenance

Urbana's micro-bevels and lightly brushed texture not only looks elegantly natural, but also prevents dirt entrapment resulting in a floor that is both beautiful and conveniently low-maintenance.



Additional Surface Treatments

A refined treatment which creates a discreet brushed effect, accentuating the characteristics of the timber, bringing out the natural structure of the wood grain.



Matching Accessories

Stair nosings made from Platinum oak flooring are available in matching Platinum colors to achieve easy and cohesive interiors.



Engineered Construction

Greater stability without the risk of cupping and warping.



Sustainably Certified

FSC certified, meaning it is ethically sourced from sustainably managed forests.



Sound Reduction

Platinum Collection works perfectly with Pro -Insul Acoustic Underlay, creates a feeling of calm throughout your home.

Platinum Oak Colour Ranges



1002
Natural Limed



1043
Raw Neutral



1048
Smoked Brown



1049
Beige Ash



1051
Coral Sand



1062
Moss Grey




Chevron




1002
Natural Limed

The planks on chevron floors are cut at 45-degree angles to fit together perfectly, forming that 'V' shape. The clean line on boards provides stunning visuals to add personality in a variety of spaces.

Available Sizes




190mm Plank



220mm Plank



Herringbone



Chevron



Plank



Plank




1043


Raw Neutral

With authentic color variations that subtly reflect everyday life, this natural-toned timber in feature grade will add a contemporary warmth and gently textured ease to interiors.


Available Sizes




190mm Plank



220mm Plank



Herringbone



Chevron



Herringbone





Plank







Herringbone



1048
Smoked Brown

Herringbone floors are constantly adapting and are now cropping up in modern properties both commercial and residential all over the world. Their timeless and stylish look in unparalleled adds a noticeable amount of value to your home.

Available Sizes

-  190mm Plank
-  220mm Plank
-  Herringbone
-  Chevron

1049


Beige Ash

The Right Format For Every Style


With the three different appearances, Plank, Herringbone and Chevron, combined with the wide variety of installation patterns, Platinum Collection offers the largest choice of designs.

Stair Nosing

The details that make your house complete.



Available Sizes




190mm Plank



220mm Plank



Herringbone



Chevron



Chevron



Plank



Chevron




Plank




1051 Coral Sand

A lightly smoked oak impresses with its striking surface: typical oak but just a touch darker than transparent lacquered planks. These planks enhance the grain pattern and increase color variation.


Available Sizes




190mm Plank



220mm Plank



Herringbone



Chevron




Herringbone

1062


Moss Grey

The 220mm extra-wide plank offers a 6mm extra thick wear layer and with 4-5 re-sands is made to last. Each extra-long plank is meticulously crafted to create a luxurious look and textural feel underfoot.


Available Sizes




190mm Plank



220mm Plank



Herringbone



Chevron






Plank



Floor Specification

Platinum Oak Collection / Specifications



190mm Plank

220mm Plank

Herringbone

Chervon

Timber Species	European Oak				
Base	Hardwood Multi-layer Plywood				
Joining Profile	Tongue and Groove				
Surface Finish	Brushed Lacquer Matt Finish				
Edging	4 Sided Micro-Bevel				
Timber Grade	ABCD	ABCD	ABC	ABC	
Dimension	Length	1900mm	2200mm	600mm	770mm
	Width	190mm	220mm	120mm	125mm
	Total Thickness	15mm	20mm	15mm	15mm
	Wear Layer	3mm	6mm	3mm	3mm
Supplied	Box Size	2.888 m ²	2.42 m ²	1.152 m ²	1.54 m ²
		8 Planks	5 Planks	Leftside 8 planks, Rightside 8 planks	
	Nesting	< 25% random short boards		0% random short boards	
Install Suitability	Weight	26 Kg	31 Kg	11 Kg	14Kg
	Floating	Yes	Yes	No	No
	Direct Stick	Yes	Yes	Yes	Yes
	Nailed Down	Yes	Yes	Yes	Yes
Underfloor Heating	Yes				
Moisture Content	8-12%				
Slip Resistance	P2				
Wear Warranty - Residential	25 Years				
Wear Warranty - Commercial	5 Years				
Structural Warranty	Lifetime				

Acoustic Underlay



PRO-INSUL 2mm Foam Underlay

Type	Foam	
Colour	Green	
Overlap Moisture Barrier	Yes	
Peel and Stick Tape	Yes	
Supplied	Roll Size	50 m ² and 20 m ²
	Thickness	2 mm
	Width	1 meter

TEST RESULTS

System Tested	(L'nTw)	FIIC	AAAC Star Rating
12 mm Laminate Flooring	44	61	5
14 mm Engineered Flooring	43	65	5
15 mm Engineered Flooring	42	63	5
20 mm Engineered Flooring	43	62	5

PRO-INSUL 4mm Rubber Underlay

Type	Rubber	
Colour	Multicolour	
Surface	Granular Texture	
Supplied	Roll Size	1 m x 1 m; 1 m ² /Sheet
	Thickness	4 mm
	Weight	3.5 kg/Sheet
	Density	970 kg/m ³

TEST RESULTS

System Tested	(L'nTw)	FIIC	AAAC Star Rating
12 mm Laminate Flooring	44	61	5
14 mm Engineered Flooring	43	66	5
15 mm Engineered Flooring	42	61	5
20 mm Engineered Flooring	44	61	5



Maintenance Guide

To avoid scratches, apply felt pads to your furniture legs and use only soft rubber casters. Protect high traffic areas with runners and area rugs.

Do not use a wet spray microfiber mop. Use a well rung out damp cloth to clean up any dirt and footprints, but avoid using excessive moisture. All spills should be cleaned up immediately. Never use wax, polish or scouring agents as they may dull or distort the finish. You can use acetone or a cleaner specially formulated for oak floors to remove stubborn marks.



1043
Raw Neutral

Variations and Flooring Facts

Skov Floors Products are made from natural materials. Individual pieces and batches may vary in colour, texture and naturally occurring features.

Reproduction in printing and photography are for guidance only. These give an indication of colour and are not necessarily representative of the overall effect or design.

When making your selection, please take care when selecting from a single sample, as this is only an indication.

In all jobs, the flooring products supplied will contain variation from board to board and job to job, and from the samples on display. The colour of your flooring may change over time with exposure to UV light.

Each flooring product continues to take up and release moisture during its life, depending on local conditions, environmental conditions and weather changes. Being aware of this and checking conditions is important before installation.

For a lasting floor product, it is essential to install your floating floor in accordance with Skov's guidelines. Please read installation guides before proceeding with your flooring installation.


Warranty

Skov Engineered Oak Flooring is subject to 25-year residential (domestic) wear warranty, 5-year commercial warranty (by request) and lifetime structural warranty.

Our products are guaranteed to be delivered free from defects in material and workmanship and are warranted in their original manufactured condition.

Gloss reduction and scratches caused by regular traffic are not covered by warranty.

Please contact our sales representative to view full warranty wording, terms and conditions.





skov.com.au
Tel : 02 8872 4409